

according to Regulation (EU) 2015/830 Document No: SDS-002 // Date of issue: 11/07/2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1. Product iden				
Product form	: Mixture			
Trade name	: Porçöz Grease Remover			
1.2. Relevant ide	ntified uses of the substance or mixture and uses advised against			
1.2.1. Relevant ide	ntified uses			
Use of the substance	/mixture : It is used to clean the grease.			
1.2.2. Uses advised	l against			
No additional information available				
1.3. Details of the	e supplier of the safety data sheet			
Manufacturer				
Levent Kimya San. ve Tic. A.S. Antalya Organize San. Böl. 1. Bölge 1. Cd. No: 12 Döşemealtı / ANTALYA				

Antalya Organize San. Böl. 1. Bölge 1. Cd. No: 12 Döşemealtı / ANTAI T +90 242 258 10 60 - F +90 242 258 13 32 <u>info@leventkimya.com.tr</u> - <u>www.leventkimya.com.tr</u>

### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Turkey	Ulusal Zehir Merkezi (UZEM) Refik Saydam Hıfzıssıhha Merkezi Başkanlığı	Cemal Gürsel Cd. No: 18 Sıhhiye Çankaya 06590 Ankara	114	Information is provided to public and medical personnel on poisoning incidents via 114.

### SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category H314 1B

Full text of H statements : see section 16

### Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage.



according to Regulation (EU) 2015/830 Document No: SDS-002 // Date of issue: 11/07/2019

### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) Dangerous Components Hazard statements (CLP) Precautionary statements (CLP)

: Sodium Hydroxide

: Danger

- : H314 Causes severe skin burns and eye damage.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
   P264 Wash hands, forearms and face thoroughly after handling.
   P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P321 - Specific treatment (see supplemental first aid instruction on this label)

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards

No additional information available

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

- Not applicable
- 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Anionic Surfactant	(CAS-No.) 68891-38-3	<% 5	Skin Irrit. 2, H315
	(EC-No.) 500-234-8		Eye Dam. 1, H318
			Aquatic acute 3,H412



according to Regulation (EU) 2015/830 Document No: SDS-002 // Date of issue: 11/07/2019

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium Hydroxide	(CAS-No.) 1310-73-2	$\%$ 3 $\pm$ 2	Skin Corr. 1A, H314
	(EC-No.) 215-185-5		
	(EC Index-No.) 011-002-00-6		
Sodium Hypochlorite	(CAS-No.) 7681-52-9	%1±0,5	Skin Irrit. 1B, H314
	(EC-No.) 231-668-3		Aquatic acute 1,H400
	(EC Index-No.) 017-011-00-1		
Frangrance	-	<% 0,2	-

### Specific concentration limits:

Name	Product identifier	Specific concentration limits
Sodium Hydroxide	(CAS-No.) 1310-73-2	( 0,5 = <c 2)="" 2,="" <="" h315<="" irrit.="" skin="" td=""></c>
	(EC-No.) 215-185-5	( 0,5 = <c 2)="" 2,="" <="" eye="" h319<="" irrit.="" td=""></c>
	(EC Index-No.) 011-002-00-6	( 2 = <c 1b,="" 5)="" <="" h314<="" irrit.="" skin="" td=""></c>
		(C >= 5) Skin Corr. 1A, H314
Sodium Hypochlorite	(CAS-No.) 7681-52-9	(C >= 5) EUH031
	(EC-No.) 231-668-3	
	(EC Index-No.) 017-011-00-1	

### Full text of H-statements: see section 16

### SECTION 4: First aid measures

4.1. Description of first aid measu	4.1. Description of first aid measures				
First-aid measures general	: Call a physician immediately.				
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.				
First-aid measures after skin contact	<ul> <li>Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.</li> </ul>				
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing. Call a physician immediately.				
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.				
4.2. Most important symptoms ar	nd effects, both acute and delayed				
Symptoms/effects after skin contact	: Burns.				
Symptoms/effects after eye contact	: Serious damage to eyes.				
Symptoms/effects after ingestion	: Burns.				

**4.3.** Indication of any immediate medical attention and special treatment needed Treat symptomatically.



according to Regulation (EU) 2015/830 Document No: SDS-002 // Date of issue: 11/07/2019

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Special hazards arising from the	ne substance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self- contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release measur	res
6.1. Personal precautions, protecti	ive equipment and emergency procedures
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for con	tainment and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section	n 13.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2 Conditions for safe storage in	eluding any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.



according to Regulation (EU) 2015/830 Document No: SDS-002 // Date of issue: 11/07/2019

### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Not available

8.2. Exposure controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

### Personal protective equipment:

Protective clothing. Safety glasses. Gloves.

### Hand protection:

Protective gloves

**Eye protection:** Safety glasses

Skin and body protection: Wear suitable protective clothing

### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

# SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Physical state : Liquid Colour : Clear. Odour : Citrus

Odour threshold : No data available



according to Regulation (EU) 2015/830 Document No: SDS-002 // Date of issue: 11/07/2019

Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.



according to Regulation (EU) 2015/830 Document No: SDS-002 // Date of issue: 11/07/2019

### 10.2. Chemical stability

Stable under normal conditions.

**10.3.** Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

**10.4.** Conditions to avoid

None under recommended storage and handling conditions (see section 7).

**10.5.** Incompatible materials

No additional information available

**10.6.** Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

<b>SECTION 11: Toxicological informatio</b>	SECTION 11: Toxicological information				
11.1. Information on toxicological effects					
Acute toxicity (oral)	: Not classified				
Acute toxicity (dermal)	: Not classified				
Acute toxicity (inhalation)	: Not classified				
Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 13.5				
Serious eye damage/irritation	: Serious eye damage, category 1, implicit pH: 13.5				
Respiratory or skin sensitisation	: Not classified				
Germ cell mutagenicity	: Not classified				
Carcinogenicity	: Not classified				
Reproductive toxicity	: Not classified				
STOT-single exposure	: Not classified				
STOT-repeated exposure	: Not classified				
Aspiration hazard	: Not classified				
SECTION 12: Ecological information					
12.1. Toxicity					
Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.				
Acute aquatic toxicity	: Not classified				
Chronic aquatic toxicity	: Not classified				



according to Regulation (EU) 2015/830 Document No: SDS-002 // Date of issue: 11/07/2019

sorting instructions.

12.2.	Persistence and degradability	
No ado	litional information available	
12.3.	Bioaccumulative potential	
No ado	litional information available	
12.4.	Mobility in soil	
No ado	litional information available	
12.5.	Results of PBT and vPvB asses	sment
No ado	litional information available	
<b>12.6</b> .	Other adverse effects	
No ado	litional information available	
SECTIC	N 13: Disposal considerations	
13.1.	Waste treatment methods	
Waste	treatment methods	: Dispose of contents/container in accordance with licensed collector's

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.1. UN number					
3266	3266	3266	3266	3266	
14.2. UN proper sh	ipping name	·	·		
CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide, caustic soda,sodium hypochlorite)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide, caustic soda,sodium hypochlorite)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide, caustic soda,sodium hypochlorite)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide, caustic soda,sodium hypochlorite)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide, caustic soda,sodium hypochlorite)	
Transport document		1	1		
UN3266	UN3266	UN3266	UN3266	UN3266	
CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide, caustic soda,sodium hypochlorite)8, I, (E)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide, caustic soda,sodium hypochlorite)8, I, (E)				
14.3. Transport ha	zard class(es)				
8	8	8	8	8	
8	8	8		6	
14.4. Packing group					
1	1	1	1	1	
				8/13	



according to Regulation (EU) 2015/830 Document No: SDS-002 // Date of issue: 11/07/2019

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.5. Environmen	tal hazards			
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

### **14.6.** Special precautions for user

- Overland transport	
Classification code (ADR)	: C5
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 0
Excepted quantities (ADR)	: EO
Packing instructions (ADR)	: P001
Mixed packing provisions (ADR)	: MP8, MP17
Portable tank and bulk container instructions (ADR)	: T14
Portable tank and bulk container special provisions (ADR)	: TP2, TP27
Tank code (ADR)	: L10BH
Vehicle for tank carriage	: AT
Transport category (ADR)	: 1
Special provisions for carriage - Operation (ADR)	: S20
Hazard identification number (Kemler	: 88
No.)	
No.) Orange plates	: <b>88</b>
•	88 3266
•	00
Orange plates	3266
Orange plates Tunnel restriction code (ADR)	<b>3266</b>
Orange plates Tunnel restriction code (ADR) EAC code	3266 : E : 2X
Orange plates Tunnel restriction code (ADR) EAC code APP code	3266 : E : 2X
Orange plates Tunnel restriction code (ADR) EAC code APP code - Transport by sea	<b>3266</b> : E : 2X : B
Orange plates Tunnel restriction code (ADR) EAC code APP code - Transport by sea Special provisions (IMDG)	<ul> <li>3266</li> <li>: E</li> <li>: 2X</li> <li>: B</li> <li>: 274</li> </ul>
Orange plates Tunnel restriction code (ADR) EAC code APP code - Transport by sea Special provisions (IMDG) Packing instructions (IMDG)	3266 : E : 2X : B : 274 : P001
Orange plates Tunnel restriction code (ADR) EAC code APP code - Transport by sea Special provisions (IMDG) Packing instructions (IMDG) Tank instructions (IMDG)	<ul> <li>3266</li> <li>: E</li> <li>: 2X</li> <li>: B</li> <li>: 274</li> <li>: P001</li> <li>: T14</li> </ul>
Orange plates Tunnel restriction code (ADR) EAC code APP code - Transport by sea Special provisions (IMDG) Packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG)	<ul> <li>3266</li> <li>: E</li> <li>: 2X</li> <li>: B</li> <li>: 274</li> <li>: P001</li> <li>: T14</li> <li>: TP2, TP27</li> </ul>
Orange plates Tunnel restriction code (ADR) EAC code APP code - Transport by sea Special provisions (IMDG) Packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire)	<ul> <li>3266</li> <li>: E</li> <li>: 2X</li> <li>: B</li> <li>: 274</li> <li>: P001</li> <li>: T14</li> <li>: TP2, TP27</li> <li>: F-A</li> </ul>



according to Regulation (EU) 2015/830 Document No: SDS-002 // Date of issue: 11/07/2019

Separation	: SG35		
Properties and observations (IMDG)	: Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.		
- Air transport			
PCA Excepted quantities (IATA)	: E0		
PCA Limited quantities (IATA)	: Forbidden		
PCA limited quantity max net quantity (IATA)	· : Forbidden		
PCA packing instructions (IATA)	: 850		
PCA max net quantity (IATA)	: 0.5L		
CAO packing instructions (IATA)	: 854		
CAO max net quantity (IATA)	: 2.5L		
Special provisions (IATA)	: A3		
ERG code (IATA)	: 8L		
- Inland waterway transport			
Classification code (ADN)	: C5		
Special provisions (ADN)	: 274		
Limited quantities (ADN)	: 0		
Excepted quantities (ADN)	: E0		
Carriage permitted (ADN)	: Т		
Equipment required (ADN)	: PP, EP		
Number of blue cones/lights (ADN)	: 0		
- Rail transport			
Classification code (RID)	: C5		
Special provisions (RID)	: 274		
Limited quantities (RID)	: 0		
Excepted quantities (RID)	: E0		
Packing instructions (RID)	: P001		
Mixed packing provisions (RID)	: MP8, MP17		
Portable tank and bulk container instructions (RID)	: T14		
Portable tank and bulk container special provisions (RID)	: TP2, TP27		
Tank codes for RID tanks (RID)	: L10BH		
Special provisions for RID tanks (RID)	: TU38, TE22		
Transport category (RID)	: 1		
Hazard identification number (RID)	: 88		

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable



Safety Data Sheet PORÇÖZ GREASE REMOVER according to Regulation (EU) 2015/830

Document No: SDS-002 // Date of issue: 11/07/2019

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list

### Contains no REACH Annex XIV substances

### 15.1.2. National regulations

Germany	
Reference to AwSV	: Water hazard class (WGK) 1, low hazard to waters (Classification according to AwSV, Annex 1)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed
SZW-lijst van mutagene stoffen	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

### Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road



according to Regulation (EU) 2015/830 Document No: SDS-002 // Date of issue: 11/07/2019

ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
DPD	Dangerous Preparations Directive 1999/45/EC
DSD	Dangerous Substances Directive 67/548/EEC
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2



according to Regulation (EU) 2015/830 Document No: SDS-002 // Date of issue: 11/07/2019

H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product