

PORCÖZ DRAIN OPENER GRANULE

according to Regulation (EU) 2015/830

Document No: SDS-004 // Date of issue: 11/07/2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Porçöz Drain Opener Granule

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : It is used to clean the drain.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Levent Kimya San. ve Tic. A.S.

Antalya Organize San. Böl. 1. Bölge 1. Cd. No: 12 Döşemealtı / ANTALYA

T+90 242 258 10 60 - F+90 242 258 13 32

info@leventkimya.com.tr - www.leventkimya.com.tr

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|---------|---|---|---------------------|---|
| Turkey | Ulusal Zehir Merkezi (UZEM) Refik Saydam Hıfzıssıhha Merkezi Başkanlığı | Cemal Gürsel Cd. No: 18 Sıhhiye Çankaya 06590 Ankara | 114 | Information is provided to public and medical personnel on poisoning incidents via 114. |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category H314 1A

Full text of H statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage.



PORÇÖZ DRAIN OPENER GRANULE

according to Regulation (EU) 2015/830

Document No: SDS-004 // Date of issue: 11/07/2019

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP) : Danger

Dangerous components : Sodium Hydrokside

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face

protection.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water .

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P321 - Specific treatment (see supplemental first aid instruction on this

label)

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or

international regulation.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|------------------|-----------------------------|-------|---|
| Sodium Hydroxide | (CAS-No.) 1310-73-2 | % 100 | Skin Corr. 1A, H314 |
| | (EC-No.) 215-185-5 | | |
| | (EC Index-No.) 011-002-00-6 | | |



PORCÖZ DRAIN OPENER GRANULE

according to Regulation (EU) 2015/830

Document No: SDS-004 // Date of issue: 11/07/2019

Specific concentration limits:

| Name | Product identifier | Specific concentration limits |
|------------------|-----------------------------|---|
| Sodium Hydroxide | (CAS-No.) 1310-73-2 | (0,5 = <c 2)="" 2,="" <="" h315<="" irrit.="" skin="" td=""></c> |
| | (EC-No.) 215-185-5 | (0,5 = <c 2)="" 2,="" <="" eye="" h319<="" irrit.="" td=""></c> |
| | (EC Index-No.) 011-002-00-6 | (2 = <c 1b,="" 5)="" <="" h314<="" irrit.="" skin="" td=""></c> |
| | | (C >= 5) Skin Corr. 1A, H314 |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated

clothing. Call a physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in : Toxic fumes may be released.

case of fire

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-

contained breathing apparatus. Complete protective clothing.



PORCÖZ DRAIN OPENER GRANULE

according to Regulation (EU) 2015/830

Document No: SDS-004 // Date of issue: 11/07/2019

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For

further information refer to section 8: "Exposure controls/personal

protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and

eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal

protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke

when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Not available

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Protective clothing. Safety glasses. Gloves.



PORÇÖZ DRAIN OPENER GRANULE

according to Regulation (EU) 2015/830

Document No: SDS-004 // Date of issue: 11/07/2019

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):







Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Granule

Colour : White

Odour : Not available

Odour threshold : No data available

pH : 14

Relative evaporation rate

(butylacetate=1)

: No data available

Melting point : Not applicable

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available



PORCÖZ DRAIN OPENER GRANULE

according to Regulation (EU) 2015/830

Document No: SDS-004 // Date of issue: 11/07/2019

Decomposition temperature : No data available

Flammability (solid, gas) : Not applicable

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Solubility : No data available

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.



PORCÖZ DRAIN OPENER GRANULE

according to Regulation (EU) 2015/830

Document No: SDS-004 // Date of issue: 11/07/2019

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 14

Serious eye damage/irritation : Serious eye damage, category 1, implicit

pH: 14

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic

organisms.

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available



PORCÖZ DRAIN OPENER GRANULE

according to Regulation (EU) 2015/830

Document No: SDS-004 // Date of issue: 11/07/2019

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's

sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | IATA | ADN | RID |
|--|---------------------|-------------------|-------------------|-------------------|
| 14.1. UN number | | | | |
| 1823 | 1823 | 1823 | 1823 | 1823 |
| 14.2. Uygun UN 1 | Taşımacılık Adı | | | |
| Sodium Hydroxide, | Sodium Hydroxide, | Sodium Hydroxide, | Sodium Hydroxide, | Sodium Hydroxide, |
| solid | solid | solid | solid | solid |
| Transport document | | T | I | |
| UN1823 | UN1823 | UN1823 | UN1823 | UN1823 |
| Sodium Hydroxide, | Sodium Hydroxide, | Sodium Hydroxide, | Sodium Hydroxide, | Sodium Hydroxide, |
| solid 8, II, (E) | solid 8, II, (E) | solid 8, II, (E) | solid 8, II, (E) | solid 8, II, (E) |
| | | | | |
| 14.3. Transport has | zard class(es) | | | |
| 8 | 8 | 8 | 8 | 8 |
| | | | | 8 |
| 14.4. Packing group | 14.4. Packing group | | | |
| II | II | II | II | II |
| 14.5. Environmental hazards | | | | |
| Dangerous for the | Dangerous for the | Dangerous for the | Dangerous for the | Dangerous for the |
| environment : No | environment : No | environment : No | environment : No | environment : No |
| | Marine pollutant : | | | |
| | No | | | |
| No supplementary information available | | | | |

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C6

Special provisions (ADR) :
Limited quantities (ADR) : 1 kg

Excepted quantities (ADR) : E2

Packing instructions (ADR) : P002, IBC08

Special packing instructions (ADR) : B4

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container : T3, TP33

special provisions (ADR)



PORCÖZ DRAIN OPENER GRANULE

according to Regulation (EU) 2015/830

Document No: SDS-004 // Date of issue: 11/07/2019

Tank code (ADR) : SGAN Vehicle for tank carriage : AT Transport category (ADR) : 2 Hazard identification number (Kemler: 80

No.)

Orange plates

80

Tunnel restriction code (ADR) : E EAC code : 2W

- Transport by sea

Packing instructions (IMDG) : P002, IBC08

Tank instructions (IMDG) : T3

Tank special provisions (IMDG) : TP2, TP27

EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-B Stowage category (IMDG) : A Separation

: SG35

Properties and observations (IMDG) : Reacts violently with acids. Causes burns to skin, eyes and mucous

membranes.

- Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y844 PCA limited quantity max net quantity: 5 kg

(IATA)

PCA packing instructions (IATA) : 859 PCA max net quantity (IATA) : 15kg CAO packing instructions (IATA) : 863 CAO max net quantity (IATA) : 50kg ERG code (IATA) : 8L

- Inland waterway transport

Classification code (ADN) : C6 Limited quantities (ADN) : 1kg Excepted quantities (ADN) : E2 Carriage permitted (ADN) : T Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : C6 Excepted quantities (RID) : E2

Packing instructions (RID) : P002, IBC08



PORCÖZ DRAIN OPENER GRANULE

according to Regulation (EU) 2015/830

Document No: SDS-004 // Date of issue: 11/07/2019

Special packing provisions (RID) : MP10

Portable tank and bulk container instructions (RID)

: T3

Portable tank and bulk container

: TP33

special provisions (RID)

Tank codes for RID tanks (RID) : SGAN Transport category (RID) : 2 Hazard identification number (RID) : 80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 1, low hazard to waters (Classification according

to AwSV, Annex 1)

12th Ordinance Implementing the

Federal Immission Control Act -

12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-liist van kankerverwekkende

stoffen

: None of the components are listed

SZW-lijst van mutagene stoffen

NIET-limitatieve lijst van voor de voortplanting giftige stoffen -

Borstvoeding

: None of the components are listed

: None of the components are listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen -

Vruchtbaarheid

: None of the components are listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen -

Ontwikkeling

: None of the components are listed

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product



Safety Data Sheet PORÇÖZ DRAIN OPENER GRANULE

according to Regulation (EU) 2015/830 Document No: SDS-004 // Date of issue: 11/07/2019

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
|-------|---|
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| DPD | Dangerous Preparations Directive 1999/45/EC |
| DSD | Dangerous Substances Directive 67/548/EEC |
| EC50 | Median effective concentration |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| TLM | Median Tolerance Limit |
| vPvB | Very Persistent and Very Bioaccumulative |



PORCÖZ DRAIN OPENER GRANULE

according to Regulation (EU) 2015/830

Document No: SDS-004 // Date of issue: 11/07/2019

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements:

| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
|---------------|---|
| Skin Corr. 1A | Skin corrosion/irritation, Category 1A |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1B |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product